

Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: AZ 5214-E IR Photoresist

Material No.

: 18444223157

Product Use Description

: Intermediate for electronic industry

Company

: AZ Electronic Materials USA Corp.

70 Meister Ave.

Somerville, NJ 08876

Telephone

: 1-908-429-3562

Telefax

: 1-908-429-5982

Emergency telephone number : 1-800-424-9300 (CHEMTREC)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

: COMBUSTIBLE LIQUID

CAUSES EYE IRRITATION

MAY CAUSE RESPIRATORY IRRITATION.

HMIS Classification


: Health hazard: 2 Flammability: 2 Reactivity: 0

PPE:X

NFPA Classification

: Health hazard: 2

Fire Hazard: 2 Reactivity Hazard: 0 Special Hazards: NONE



GHS Classification

Hazard category, Hazard

class

: Flammable Liquids, Category 3



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Hazard category, Hazard

class

Hazard category, Hazard

class

Eye irritation, Category 2A

Specific target organ toxicity - single exposure, Category 3

GHS-Labelling

Symbol(s)

: /s

Signal word

Warning

Hazard statements

Flammable liquid and vapour. Causes serious eye irritation.

May cause respiratory irritation, and drowsiness or dizziness.

Precautionary statements

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store in a closed container.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Special labelling of certain mixtures:

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 24 %



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Component	CAS-No.	Weight percent	
1-Methoxy-2-propanol acetate	108-65-6	70 - 75	
Diazonaphthoquinonesulfonic esters	67829000004-5001P	1 - 5	

Non-hazardous ingredients

Component	CAS-No.	Weight percent	
Cresol novolak resin	67829000004-5653P	20 - 25	
Phenolic compound	67829000004-5003P	<= 2	

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give

oxygen. If symptoms persist, call a physician.

Skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Get medical

attention if irritation develops and persists.

Eye contact : Remove contact lenses. Flush eyes with water at least 15

minutes. Get medical attention if eye irritation develops or

persists.

Ingestion : Keep respiratory tract clear. If conscious, drink plenty of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : 112 °F (44 °C)

Method: closed cup



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Fire fighting

Suitable extinguishing media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Further information

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.
Cool containers / tanks with water spray.

Protective equipment and precautions for firefighters

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions

: Do not allow entry to drains, water courses or soil Prevent spreading by use of suitable barriers.

Local authorities should be advised if significant spillages

cannot be contained.

Methods for containment /

Methods for cleaning up

: Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices or ignition sources, collect onto inert absorbent, and place in a

suitable container.

SECTION 7. HANDLING AND STORAGE

Handling

Handling

: Do not breathe vapours or spray mist.

Do not get on skin or clothing.

For personal protection see section 8.

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Avoid shock and friction.

Storage

Further information on storage conditions

: Keep container tightly closed in a dry and well-ventilated

place.



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

May liberate combustible solvent vapors. Store at appropriate temperature. See label for details.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components	CAS-No.	Control parameters	Basis
1-Methoxy-2-propanol acetate	108-65-6	TWA: 50 ppm	US WEEL

Engineering measures

Engineering measures

: Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Eye protection

: Safety eyewear to protect against splashes.

Hand protection

: Solvent-resistant gloves

Skin and body protection

: Clothing suitable to prevent skin contact.

Respiratory protection

: In the case of vapour formation use a respirator with an

approved filter.

Respirator with filter for organic vapour Use NIOSH approved respiratory protection.

Hygiene measures

: Observe the usual precautions when handling chemicals.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form

: Liquid

Color

: Clear,amber-red

Odor

: Strong, characteristic odor.

Safety data

Flash point

: 112 °F (44 °C)

Method: closed cup



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Starts to boil

: ca. 293 °F (145 °C)

Vapour pressure

: 3.2 Torr

at 68 °F (20 °C) Method: calculated

Density

: 1 g/cm3

at 68 °F (20 °C)

Water solubility

: The solvent is partially water soluble but the product forms two

layers.

VOC

: 740 g/l (Calculated value)

Loss on drying

: < 75 %

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

: Avoid contact with oxidizing agents.

Avoid contact with strong acids.

Avoid contact with alkaline materials.

Hazardous decomposition

products

: Hazardous decomposition products due to incomplete

combustion.

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Hazardous reactions

: Hazardous polymerisation does not occur.

Chemical stability

: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Data for AZ 5214-E IR Photoresist

Further information

: No toxicological testing was carried out on the preparation.

Data for 1-Methoxy-2-propanol acetate (108-65-6)

Acute oral toxicity

: LD50: 8,532 mg/kg

Species: rat

Acute inhalation toxicity

: LC50: > 23.8 mg/l



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Exposure time: 6 h

Species: rat

Acute dermal toxicity

: LD50: > 5,000 mg/kg

Species: rabbit

Skin irritation

: Result: non-irritant

Eye irritation

: Result: Mild eye irritation

Sensitisation

: Species: Guinea pig

Result: non-sensitizing

Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Acute oral toxicity

: LD50 Oral: > 5,000 mg/kg

Species: rat

By analogy with a similar product.

Skin irritation

: Species: rabbit

Result: No skin irritation

Eye irritation

: Species: rabbit

Result: slight irritant effect - does not require labelling

Classification: not irritating

12. ECOLOGICAL INFORMATION

Data for AZ 5214-E IR Photoresist

Additional ecological

information

: No ecological testing was carried out on the preparation.

Data for 1-Methoxy-2-propanol acetate (108-65-6)

Ecotoxicity effects

Toxicity to fish

: LC50: 100 - 180 mg/l Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

: LC50: 161 mg/l Exposure time: 96 h

Species: Fish general (Pisces)

: NOEC: 100 mg/l Exposure time: 96 h

Species: Fish general (Pisces)

Toxicity to daphnia and other

aquatic invertebrates

: EC50: > 500 mg/l

Species: Daphnia magna

Toxicity to bacteria

: EC20: 1,000 mg/l

Exposure time: 30 min Species: activated sludge

Elimination information (persistence and degradability)

Biodegradability

: Method: OECD 302 B

: The product is biodegradable.

Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Ecotoxicity effects

Toxicity to fish

: LC50: 20 - 50 mg/l Exposure time: 96 h

Species: Danio rerio (zebra fish) By analogy with a similar product.

Toxicity to bacteria

: EC50: > 1,000 mg/l

Method: OECD 209

Elimination information (persistence and degradability)

Biodegradability

: Result: Not readily biodegradable.

Method: OECD 301 D

Further information on ecology



SAFETY DATA SHEET

AZ 5214-E IR Photoresist

Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Chemical Oxygen Demand

(COD)

: 1.716 mg/g

SECTION 13. DISPOSAL CONSIDERATIONS

Further information

: In accordance with local and national regulations.

For disposal, this material is a flammable hazardous waste

under RCRA.

Contaminated packaging

: Empty containers should be taken to an approved waste

handling site for recycling or disposal.

RCRA hazardous waste

: RCRA number: D001

Yes -- If it becomes a waste as sold.

SECTION 14. TRANSPORT INFORMATION

DOT

Not restricted

IATA

UN number

1993

Description of the goods

Flammable liquid, n.o.s.

(2-Methoxy-1-methylethyl acetate)

Class

3

Packing group

: 111

Labels

3

Environmentally hazardous

Additional data for transport

PASSENGER AIRCRAFT SHIPMENT OF GLASS

CONTAINERS > 2.5L NOT PERMITTED. CARGO AIRCRAFT

ONLY!

IMDG

UN number

: 1993

Description of the goods

FLAMMABLE LIQUID, N.O.S.

(2-Methoxy-1-methylethyl acetate)

Class

Packing group

: 3 : 111

Labels

3

EmS Number 1 EmS Number 2 F-E

Marine Pollutant

: S-E

: no

Environmentally hazardous

: no



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

SECTION 15. REGULATORY INFORMATION

Notification status

US.TSCA All components of this product are listed on the TSCA

Inventory.

DSL All components of this product are on the Canadian DSL.

WHMIS Classification : B3: Combustible Liquid

Canadian PBT Chemicals : This product does not contain any components on the DSL that

are classified as Persistent, Bioaccumulative and Toxic (PBT)

under CEPA.

CERCLA Reportable

Quantity

This material does not contain any components with a CERCLA RQ.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Reportable

Quantity

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 304 Extremely

Hazardous Substances

: This material does not contain any components with a section

304 EHS RQ.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III. Section 313.



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Clean Air Act

Ozone-Depletion

Potential

This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

US. Clean Air Act - Hazardous Air Pollutants (HAP)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

US. Clean Air Act Section 111 SOCMI Intermediate or Final Volatile Organic Compunds (VOC) - 40 CFR part 60.489

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know Components

: No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know Components : 1-Methoxy-2-propanol acetate

108-65-6

Cresol novolak resin

67829000004-5653P

Diazonaphthoguinonesulfonic

68510-93-0

ester

New Jersey Right To Know Components

: 1-Methoxy-2-propanol acetate

108-65-6



Substance No.: GHSBBG70E3

Version 3.2

Revision Date 10/04/2012 Print Date 01/14/2013

Cresol novolak resin

67829000004-5653P

Diazonaphthoquinonesulfonic ester

68510-93-0

SECTION 16. OTHER INFORMATION

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ Is a Trademark or a registered trademark and the AZ logo is a registered trademark of AZ. (R) and TM indicate trademarks of AZ Electronic Materials USA Corp., its business partners and suppliers.