

**1 Identification of the substance/mixture and of the company**

- **Product identifier**
- **Trade name:** *A Thinner*
- **Product number:** M030100
- **CAS Number:**  
100-66-3
- **EC number:**  
202-876-1
- **Application of the substance / the mixture** *Thinner, Diluent*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*MicroChem Corp.  
200 Flanders Road  
Westborough, MA 01581 USA*
- **Information department:**  
*Product Safety  
Email: [productsafety@microchem.com](mailto:productsafety@microchem.com)*
- **Emergency telephone number:**  
*MicroChem Corp : 617-965-5511  
Chemtrec USA Emergency : 800-424-9300  
Chemtrec International Emergency : 703-527-3887*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

*Flam. Liq. 3 H226 Flammable liquid and vapor.*

GHS07

*Acute Tox. 4 H332 Harmful if inhaled.**Skin Irrit. 2 H315 Causes skin irritation.**Eye Irrit. 2A H319 Causes serious eye irritation.**STOT SE 3 H335 May cause respiratory irritation.*

- **Label elements**

- **GHS label elements**

*The substance is classified and labeled according to the Globally Harmonized System (GHS).*

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** *Warning*

- **Hazard-determining components of labeling:**

*Anisole*

**Trade name: A Thinner**

(Contd. of page 1)

**Hazard statements**

- H226 Flammable liquid and vapor.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

**Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.
- P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.
- P370+P378 In case of fire: Use for extinction: Carbon dioxide.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 1 | Health = 1     |
| FIRE       | 2 | Fire = 2       |
| REACTIVITY | 0 | Reactivity = 0 |

**Other hazards****Results of PBT and vPvB assessment**

- PBT: Not applicable.
- vPvB: Not applicable.

**3 Composition/information on ingredients****Chemical characterization: Substances**

- CAS No. Description  
100-66-3 anisole
- Identification number(s)
- EC number: 202-876-1

**4 First-aid measures**

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 05/02/2017

Reviewed on 05/02/2017

**Trade name: A Thinner**

(Contd. of page 2)

- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:**  
Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:**  
Water with full jet  
Water
- **Special hazards arising from the substance or mixture**  
Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.
- **Advice for firefighters**
- **Protective equipment:** Wear SCBA.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

US

(Contd. on page 4)

Printing date 05/02/2017

Reviewed on 05/02/2017

Trade name: A Thinner

(Contd. of page 3)

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation/exhaust at the workplace.  
Keep receptacles tightly sealed.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Use explosion-proof apparatus / fittings and spark-proof tools.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:**  
Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Immediately remove all soiled and contaminated clothing.  
Keep away from food and beverages.  
Avoid contact with the eyes and skin.
- **Respiratory equipment:**  
In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
VITON®  
Nitrile rubber, NBR
- **Penetration time of glove material** Contact glove manufacture for break-through time.

(Contd. on page 5)

US



Printing date 05/02/2017

Reviewed on 05/02/2017

Trade name: A Thinner

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

|                 |                 |
|-----------------|-----------------|
| Form:           | Liquid          |
| Color:          | Colorless       |
| Odor:           | Strong          |
| Odor threshold: | Not determined. |

· pH-value: Not determined.

· Change in condition

|                              |                 |
|------------------------------|-----------------|
| Melting point/Melting range: | -37 °C (-35 °F) |
| Boiling point/Boiling range: | 184 °C (363 °F) |

· Flash point: 43 °C (109 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 475 °C (887 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Not determined.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

|        |                 |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

· Vapor pressure at 20 °C (68 °F): 0.4 hPa

· Density at 20 °C (68 °F): 1.02 g/cm<sup>3</sup> (8.512 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water at 20 °C (68 °F): 34 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

|                   |                 |
|-------------------|-----------------|
| Dynamic:          | Not determined. |
| Kinematic:        | Not determined. |
| Organic solvents: | 100.0 %         |
| VOC content:      | 100.0 %         |

(Contd. on page 6)

US

Printing date 05/02/2017

Reviewed on 05/02/2017

Trade name: A Thinner

(Contd. of page 5)

· **Other information** No further relevant information available.**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal use conditions
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, flames and sparks. Extremes of temperature and direct sunlight.
- **Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Phenol

**11 Toxicological information**

- **Information on toxicological effects**
  - **Acute toxicity:**
  - **LD/LC50 values that are relevant for classification:**
- | 100-66-3 Anisole |      |                      |
|------------------|------|----------------------|
| Oral             | LD50 | 3700 mg/kg (Rat)     |
| Dermal           | LD50 | >5000 mg/kg (rabbit) |
- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Strong irritant with the danger of severe eye injury.
  - **Sensitization:** No sensitizing effects known.
  - **Additional toxicological information:**

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**· **Toxicity**· **Aquatic toxicity:****100-66-3 Anisole**

|            |  |
|------------|--|
| EC50/24 h  | 40 mg/l (daphnia magna)                  |
| EC50/96 hr | 162 mg/l (green algae)                   |
| LC50/48 hr | 120 mg/L (Cyprinus carpio (common carp)) |

- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

US



**Trade name:** A Thinner



(Contd. of page 6)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Assessment by list): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.  
Disposal must be made in accordance with Federal, State, and Local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.

**14 Transport information**

|   |                     |
|---|---------------------|
| · UN-Number   |                     |
| · DOT, ADR, IMDG, IATA  | UN2222              |
| · UN proper shipping name   |                     |
| · DOT, IMDG, IATA   | ANISOLE             |
| · ADR   | 2222 ANISOLE        |
| · Transport hazard class(es)  |                     |
| · DOT   |                     |
|  |                     |
| · Class   | 3 Flammable liquids |
| · Label   | 3                   |
| · ADR, IMDG, IATA   |                     |
|  |                     |
| · Class   | 3 Flammable liquids |
| · Label   | 3                   |
| · Packing group   |                     |
| · DOT, ADR, IMDG, IATA  | III                 |

(Contd. on page 8)

Printing date 05/02/2017

Reviewed on 05/02/2017

Trade name: A Thinner

(Contd. of page 7)

- |  |                            |
|--|----------------------------|
| · Environmental hazards:   |                            |
| · Marine pollutant:  | No                         |
| · Special precautions for user   | Warning: Flammable liquids |
| · Danger code (Kemler):  | 30                         |
| · EMS Number:  | F-E,S-D                    |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable.            |
| · UN "Model Regulation":   | UN2222, ANISOLE, 3, III    |

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

## · Section 355 (extremely hazardous substances):

Substance is not listed.

## · Section 313 (Specific toxic chemical listings):

Substance is not listed.

## · TSCA (Toxic Substances Control Act):

Substance is listed.

## · Proposition 65

## · Chemicals known to cause cancer:

Substance is not listed.

## · Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

## · Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

## · Chemicals known to cause developmental toxicity:

Substance is not listed.

## · Carcinogenic categories

## · EPA (Environmental Protection Agency)

Substance is not listed.

## · TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

## · New Jersey State Right To Know List

100-66-3 Anisole

## · California SCAQMD Rule 443.1 VOC's: 993 g/l; vapor pressure 1.0 mm Hg @ 20C

## · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

US



Printing date 05/02/2017

Reviewed on 05/02/2017

Trade name: A Thinner

(Contd. of page 8)

## · Hazard pictograms



GHS02 GHS07

## · Signal word Warning

## · Hazard-determining components of labeling:

Anisole

## · Hazard statements

H226 Flammable liquid and vapor.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.

P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378 In case of fire: Use for extinction: Carbon dioxide.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Department issuing SDS: Product safety department

· Contact: Mr. Cole

## · Revision History:

The business address of the manufacturer in Section 1 was updated. The hazard classification and precautionary statements for the mixture in Section 2 were revised. The toxicology data in Sections 11 and 12 were revised.

## · Date of preparation / last revision 05/02/2017 / 1

## · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

Printing date 05/02/2017

Reviewed on 05/02/2017

**Trade name: A Thinner**

(Contd. of page 9)

ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US