

Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: AZ P4210 Photoresist

Material No.

10490923159

Product Use Description

: Intermediate for electronic industry

Company

: AZ Electronic Materials USA Corp.

70 Meister Ave. Somerville, NJ 08876

Telephone

: 1-908-429-3562

Telefax

: 1-908-429-5982

Emergency telephone number : 1-800-424-9300 (CHEMTREC)

### SECTION 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

OSHA Hazards

: COMBUSTIBLE LIQUID AND VAPOUR:

**IRRITANT** 

**GHS** Classification

Signal word

: Warning

Hazard category, Hazard

: Flammable liquids, Category 3

class

Hazard category, Hazard

Eye irritation, Category 2A

Hazard category, Hazard

class

Specific target organ toxicity - single exposure, Category 3

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Hazardous ingredients

Component	CAS-No.	Weight percent
1-Methoxy-2-propanol acetate	108-65-6	65 - 70
Diazonaphthoquinonesulfonic esters	67829000004-6623P	1 - 5



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## Non-hazardous ingredients

Component	CAS-No.	Weight percent
Cresol novolak resin	67829000004-5653P	25 - 30

## SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation

: If inhaled, remove to fresh air. If breathing is difficult, give

oxygen. If symptoms persist, call a physician.

Skin contact

: Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Get medical

attention if irritation develops and persists.

Eye contact

: Remove contact lenses. Flush eyes with water at least 15

minutes. Get medical attention if eye irritation develops or

persists.

Ingestion

: Keep respiratory tract clear. If conscious, drink plenty of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

## SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point

: 112 °F (44 °C)

Method: closed cup

Fire fighting

Suitable extinguishing media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Further information

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Cool containers / tanks with water spray.

Protective equipment and precautions for firefighters

Specific hazards during fire

: As the product contains combustible organic components, fire



Substance No.: GHSBBG7099 Version 3.2 Revision Date 11/08/2011 Print Date 02/10/2012

fighting

will produce dense black smoke containing hazardous

products of combustion (see section 10).

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions

: Do not allow entry to drains, water courses or soil

Prevent spreading by use of suitable barriers.

Local authorities should be advised if significant spillages

cannot be contained.

Methods for containment / Methods for cleaning up : Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices or ignition sources, collect onto inert absorbent, and place in a

suitable container.

### SECTION 7, HANDLING AND STORAGE

### Handling

Handling

: Do not breathe vapours or spray mist.

Do not get on skin or clothing.

For personal protection see section 8.

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against

fire and explosion

: Keep away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Avoid shock and friction.

## Storage

Further information on storage conditions

: Keep container tightly closed in a dry and well-ventilated

place

May liberate combustible solvent vapors.

Store at appropriate temperature. See label for details.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Components with workplace control parameters

Components	CAS-No.	Control parameters	Basis
1-Methoxy-2-propanol acetate	108-65-6	TWA: 50 ppm	U\$ WEEL

## Engineering measures



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

Engineering measures

: Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Eye protection

: Safety eyewear to protect against splashes.

Hand protection

: Solvent-resistant gloves

Skin and body protection

: Clothing suitable to prevent skin contact.

Respiratory protection

: In the case of vapour formation use a respirator with an

approved filter.

Respirator with filter for organic vapour Use NIOSH approved respiratory protection.

Hygiene measures

: Observe the usual precautions when handling chemicals.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form

: Liquid

Color

: Clear, amber-red

Odor

: Strong, characteristic odor.

Safety data

Flash point

: 112 °F (44 °C)

Method: closed cup

Starts to boil

: 293 °F (145 °C)

Vapour pressure

3.2 Torr

at 68 °F (20 °C)

Density

: ca.1 g/cm3

at 68 °F (20 °C)

Water solubility

: The solvent is partially water soluble but the product forms two

lavers

VOC

: 685 g/l (Calculated value)

Loss on drying

: < 70 %



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

Avoid contact with oxidizing agents.
 Avoid contact with strong acids.
 Avoid contact with alkaline materials.

Hazardous decomposition

products

: Hazardous decomposition products due to incomplete

combustion.

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

Hazardous reactions

: Hazardous polymerisation does not occur.

Chemical stability

: Stable under normal conditions.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Data for AZ P4210 Photoresist

Further information

: No toxicological testing was carried out on the preparation.

## Data for 1-Methoxy-2-propanol acetate (108-65-6)

Acute oral toxicity

: LD50: 8,532 mg/kg

Species: rat

Acute inhalation toxicity

: LC50: > 23.8 mg/l

Exposure time: 6 h

Species: rat

Acute dermal toxicity

LD50: > 5,000 mg/kg

Species: rabbit

Skin irritation

: Result: non-irritant

Eye irritation

: Result: Mild eye irritation

Sensitisation

: Species: Guinea pig

Result: non-sensitizing



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Acute oral toxicity

: LD50 Oral: > 5,000 mg/kg

Species: rat

By analogy with a similar product.

Skin irritation

: Species: rabbit

Result: No skin irritation

Eye irritation

: Species: rabbit

Result: slight irritant effect - does not require labelling

Classification; not irritating

## 12. ECOLOGICAL INFORMATION

## Data for AZ P4210 Photoresist

Additional ecological

information

: No ecological testing was carried out on the preparation.

## Data for 1-Methoxy-2-propanol acetate (108-65-6)

## **Ecotoxicity effects**

Toxicity to fish

: LC50: 100 - 180 mg/l Exposure time: 96 h

Species: Oncorhynchus mykiss

: LC50: 161 mg/l Exposure time: 96 h

Species: Fish general (Pisces)

: NOEC: 100 mg/l Exposure time: 96 h

Species: Fish general (Pisces)

Toxicity to daphnia and other : EC50: > 500 mg/l

aquatic invertebrates.

Species: Daphnia magna

Toxicity to bacteria

: EC20: 1,000 mg/l

Exposure time: 30 min Species: activated sludge



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## Elimination information (persistence and degradability)

Biodegradability

: Method: OECD 302 B

: The product is biodegradable.

## Data for Diazonaphthoquinonesulfonic esters (67829000004-5546P)

Ecotoxicity effects

Toxicity to fish

: LC50: 20 - 50 mg/l Exposure time: 96 h

Species: Danio rerio (zebra fish) By analogy with a similar product.

Toxicity to bacteria

: EC50: > 1,000 mg/l

Method: OECD 209

Elimination information (persistence and degradability)

Biodegradability

: Result: not degradable

Method: OECD 301 D

Further information on ecology

Chemical Oxygen Demand

(COD)

: 1.716 mg/g

## SECTION 13. DISPOSAL CONSIDERATIONS

Further information

: Dispose of as hazardous waste in compliance with local and

national regulations.

For disposal, this material is a flammable hazardous waste

under RCRA.

Contaminated packaging

: Empty containers should be taken to an approved waste

handling site for recycling or disposal.

RCRA hazardous waste

: RCRA number: D001

Yes -- If it becomes a waste as sold.



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

### SECTION 14. TRANSPORT INFORMATION

DOT

Not restricted

IATA

UN number

: 1993

Description of the goods

Flammable liquid, n.o.s.

(2-Methoxy-1-methylethyl acetate)

Class

111

Packing group Labels

3

Environmentally hazardous

: no

Additional data for transport

PASSENGER AIRCRAFT SHIPMENT OF GLASS

CONTAINERS >2.5L NOT PERMITTED. CARGO AIRCRAFT

ONLY!

IMDG

UN number

1993

Description of the goods

FLAMMABLE LIQUID, N.O.S.

(2-Methoxy-1-methylethyl acetate)

Class

Packing group

3

Labels

: 111 3

EmS Number 1

: F-E

EmS Number 2

: S-E

Marine pollutant

Environmentally hazardous

: no

## SECTION 15, REGULATORY INFORMATION

## Notification status

US.TSCA

All components of this product are listed on the TSCA

Inventory.

DSL

All components of this product are on the Canadian DSL list.

WHMIS Classification

: B3: Combustible Liquid



Substance No.; GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

Canadian PBT Chemicals

: This product does not contain any components on the DSL that

are classified as Persistent, Bioaccumulative and Toxic (PBT)

under CEPA.

**CERCLA** Reportable

Quantity

This material does not contain any components with a CERCLA RQ.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Reportable

Quantity

: SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III. Section 302.

SARA 304 Extremely

Hazardous Substances

: This material does not contain any components with a section

304 EHS RQ.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air

Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

US. Clean Air Act - Hazardous Air Pollutants (HAP)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

# US. Clean Air Act Section 111 SOCMI Intermediate or Final Volatile Organic Compunds (VOC) - 40 CFR part 60.489

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

## **US State Regulations**

Massachusetts	Right	То
Know Compone	ents	

: No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know Components : 1-Methoxy-2-propanol acetate

108-65-6

Cresol novolak resin

67829000004-5653P

Diazonaphthoquinonesulfonic

67829000004-6623P

esters

New Jersey Right To Know Components : 1-Methoxy-2-propanol acetate

108-65-6

Cresol novolak resin

67829000004-5653P

Diazonaphthoquinonesulfonic

67829000004-6623P

esters

California Prop. 65 Components This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

## SECTION 16. OTHER INFORMATION


Further information

**HMIS Classification** 

: Health hazard: 2 Flammability: 2 Reactivity: 0 PPE:X

NFPA Classification

: Health hazard: 2 Fire Hazard: 2 Reactivity Hazard: 0 Special Hazards: NONE



GHS-Labelling

Symbol(s)

 $\langle ! \rangle$ 

Signal word

Warning

Hazard statements

Flammable liquid and vapour.

Causes eye irritation.

May cause respiratory irritation.
May cause drowsiness or dizziness.

Precautionary statements

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.



Substance No.: GHSBBG7099

Version 3.2

Revision Date 11/08/2011 Print Date 02/10/2012

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or if you feel unwell:

Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store in a closed container.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ Is a Trademark or a registered trademark and the AZ logo is a registered trademark of AZ. (R) and TM indicate trademarks of AZ Electronic Materials USA Corp., its business partners and suppliers.