

Print Date 13.08.2015

AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS

SECTION 1: Identification of the	substance/mixture and of the company/undertaking	
1.1 Product identifier		
Trade name	: AZ nLOF® 2070 Photoresist	
1.2 Relevant identified uses of th	e substance or mixture and uses advised against	
Use of the Substance/Mixture	: Electronic industry Intermediate for electronic industry	
1.3 Details of the supplier of the	safety data sheet	
Company	: Merck Performance Materials GmbH Rheingaustrasse 190-196 , 65203 Wiesbaden Germany	
Telephone	: +49 (0)611 962 8563	
E-mail address of person responsible for the SDS	: <u>PSE@merckgroup.com</u>	
1.4 Emergency telephone numbe	r	
Emergency telephone number	: +49 69 305 6418 (24/7, English and German)	
SECTION 2: Hazards identification	n	
2.1 Classification of the substand	ce or mixture	
Classification (REGULATION	l (EC) No 1272/2008)	
GHS Classification		
Flammable liquids, Category 3	H226: Flammable liquid and vapour.	
2.2 Label elements		
GHS-Labelling		
Symbol(s)		
Signal word	: Warning	
Hazard statements	: H226 Flammable liquid and vapour.	
	1 / 13	

according to Regulation (EC) No. 1907/2006



		stance No.: GHSAP0071668 sion 1.1 DE-GHS
	Prevention:	Precautionary statements
at/sparks/open s No smoking.	P210	
tly closed.	P233	
ves/ protective clothing/ e protection.	P280	
•	Response:	
or hair): Remove/ Take contaminated clothing. er/ shower.	P303 + P361 + F	
dry sand, dry chemical foam for extinction.	P370 + P378	
	Storage:	
ilated place. Keep cool.	P403 + P235	
		Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical characterization

Preparation of polymer resins and light sensitive compounds in organic solvents (halogenfree).

Hazardous components

1,3-Benzenedimethanol, 2-hydroxy-5-(1,1,3,3-tetramethylbutyl)-

CAS-No.	:	5568-04-7	
Registration number	:	01-0000019532-72-0000	
Classification	:	Acute Tox. 4; H302	
(REGULATION (EC) No			
1272/2008)			
Concentration [%]	:	< 10	
2-methoxypropyl acetate			
CAS-No.	:	70657-70-4	
EC-No.	:	274-724-2	
Classification	:	Flam. Liq. 3; H226	
(REGULATION (EC) No		Repr. 1B; H360D	
1272/2008)		STOT SE 3; H335	
·			
Concentration [%]	:	< 0,3	
WEL substance :			

2-methoxy-1-methylethyl acetate

according to Regulation (EC) No. 1907/2006



Α

	90772006	
AZ nLOF® 2070 Photore Substance No.: GHSAP0071668 Version 1.1 DE-GHS		Print Date 13.08.2015
Classification (REGULATION (EC) No 1272/2008)	 108-65-6 203-603-9 01-2119475791-29-xxxx Flam. Liq. 3; H226 >= 50 - <= 100 	
For explanation of abbreviations		
SECTION 4: First aid measures		
4.1 Description of first aid measur	es	
General advice	: Take off all contaminated clothing im If symptoms persist, call a physician Show this safety data sheet to the de	
Inhalation	: If breathing is difficult, remove victim rest in a position comfortable for bre	
Skin contact	: Wash off immediately with plenty of If skin irritation persists, call a physic	
Eye contact	: Immediately flush eye(s) with plenty Protect unharmed eye. Remove contact lenses.	of water.
Ingestion	: If symptoms persist, call a physician Show this safety data sheet to the de	
4.3 Indication of any immediate m	edical attention and special treatmer	nt needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measures	5	
5.1 Extinguishing media		
Suitable extinguishing media	: Water spray jet Foam Dry powder Carbon dioxide (CO2)	
5.2 Special hazards arising from t	he substance or mixture	

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Version 1.1 DE-GHS	Revision Date 17.04.2015	Print Date 13.08.201
Specific hazards during firefighting	: In case of fire hazardous decomposition produced such as: Carbon dioxide (CO2) Carbon monoxide	on products may be
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Well closed full protective clothing (coa helmet. In the event of fire, wear self-contained	· · · -
Further information	: Fire residues and contaminated fire ex be disposed of in accordance with loca	
SECTION 6: Accidental release r		
	tive equipment and emergency procedu : Refer to protective measures listed in a	
Personal precautions		sections / and o.
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sani Avoid subsoil penetration.	tary sewer system.
6.3 Methods and materials for co	entainment and cleaning up	
Methods for cleaning up	: Soak up with inert absorbent material acid binder, universal binder, sawdust Keep in suitable, closed containers for Clean contaminated floors and objects observing environmental regulations.). disposal.
6.4 Reference to other sections		
Additional advice	: Information regarding Waste Disposal,	, see chapter 13.
SECTION 7: Handling and storag	je	
7.1 Precautions for safe handling	3	
Advice on safe handling	: Provide sufficient air exchange and/or	exhaust in work rooms.
Advice on protection against fire and explosion	: Normal measures for preventive fire pr	rotection.
7.2 Conditions for safe storage, i	ncluding any incompatibilities	
Requirements for storage	: Store in original container.	



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Version 1.1 DE-GHS	Revision Date 17.04.2015	Print Date 13.08.2015
areas and containers		
Further information on storage conditions	: Keep container tightly closed in a dry place. Protect against light.	and well-ventilated
Advice on common storage	: Keep away from food and drink.	
7.3 Specific end use(s)		
	: No information available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	:	2-methoxy-1-methylethyl acetate
CAS-No.	:	108-65-6
Value	:	AGW
Control parameters	:	50 ppm
		270 mg/m3
Category short-time		1://)
exposure	•	1;(I)
Update	:	2006-01-01
Basis	:	DE TRGS 900
Further information	:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).European Union (The EU has established a limit value: deviations in value and peak limit are possible)When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child

Components	:	2-methoxypropyl acetate
CAS-No.	:	70657-70-4
Value	:	AGW
Control parameters	:	5 ppm
		28 mg/m3
Category short-time		8;(II)
exposure	•	0,(II)
Update	:	2006-01-01
Basis	:	DE TRGS 900
Further information	:	DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).Skin absorptionWhen there is compliance with the OEL and biological tolerance values, harm to the unborn child can not be excluded

according to Regulation (EC) No. 1907/2006



Print Date 13.08.2015

AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS

2-methoxy-1-methylethyl acetate	: End Use: Workers Exposure routes: Skin contact Potential health effects: Chronic effects Value: 54,8 mg/kg
	End Use: Workers Exposure routes: Inhalation Potential health effects: Chronic effects Value: 33 mg/m3
	End Use: Workers Exposure routes: Ingestion Potential health effects: Chronic effects 1,67 mg/kg
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Chronic effects 153,5 mg/kg
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Chronic effects 275 mg/kg
Predicted No Effect Concer	ntration (PNEC) according to Regulation (EC) No. 1907/2006
Predicted No Effect Concer 2-methoxy-1-methylethyl acetate	ntration (PNEC) according to Regulation (EC) No. 1907/2006: : Fresh water Value: 0,635 mg/l
2-methoxy-1-methylethyl	: Fresh water
2-methoxy-1-methylethyl	: Fresh water Value: 0,635 mg/l Marine water
2-methoxy-1-methylethyl	 Fresh water Value: 0,635 mg/l Marine water Value: 0,0635 mg/l Fresh water sediment
2-methoxy-1-methylethyl	 Fresh water Value: 0,635 mg/l Marine water Value: 0,0635 mg/l Fresh water sediment Value: 3,29 mg/kg Marine sediment
2-methoxy-1-methylethyl	 Fresh water Value: 0,635 mg/l Marine water Value: 0,0635 mg/l Fresh water sediment Value: 3,29 mg/kg Marine sediment Value: 0,329 mg/kg Soil
2-methoxy-1-methylethyl acetate	 Fresh water Value: 0,635 mg/l Marine water Value: 0,0635 mg/l Fresh water sediment Value: 3,29 mg/kg Marine sediment Value: 0,329 mg/kg Soil
2-methoxy-1-methylethyl acetate Exposure controls Engineering measures	 Fresh water Value: 0,635 mg/l Marine water Value: 0,0635 mg/l Fresh water sediment Value: 3,29 mg/kg Marine sediment Value: 0,329 mg/kg Soil

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 /ersion 1.1 DE-GHS	Revision Date 17.04.2015	Print Date 13.08.201
Respiratory protection	: Use respiratory protection in case of ventilation or prolonged exposure Recommended Filter type: ABEK-filter	f insufficient exhaust
Hand protection	 Break through time: > 10 min Glove thickness: > 0,4 mm For short-term exposure (splash pro Nitrile rubber gloves. Remarks: These types of protective various manufacturers. Please note detailed statements, especially about and the minimum breakthrough time particular working conditions under used. 	gloves are offered by the manufacturers´ ut the minimum thickness consider also the
Eye protection	: Tightly fitting safety goggles	
Skin and body protection	: protective clothing	
Hygiene measures	 When using do not eat, drink or smo Keep away from food and drink. Wash hands before breaks and at th Use barrier skin cream. 	
Protective measures	: Do not breathe vapours or spray mis Avoid contact with skin and eyes. Observe the usual precautions for h	
Environmental exposure co	ontrols	
General advice	: Do not flush into surface water or sa Avoid subsoil penetration.	nitary sewer system.
ECTION 9: Physical and chem	cal properties	
1 Information on basic physic	al and chemical properties	
Appearance		
Form Colour	: liquid : clear yellow	
Odour	: strong characteristic	
Safety data		

according to Regulation (EC) No. 1907/2006

AZ nLOF® 2070 Photoresist

MERCK

Print Date 13.08.2015

Substance No.: GHSAP0071668	Revision Date 17.04.2015
Version 1.1 DE-GHS	

Flash point	: 43 °C
Ignition temperature	: not determined
Thermal decomposition	
	: not determined
Upper explosion limit Flammability (solid, gas)	: not determined : not determined
Oxidizing properties	: not determined
Auto-ignition temperature	: not determined
Burning number	: not determined
рН	: Not applicable
Freezing point	: not determined
Starts to boil	: 145 °C
Sublimation point Vapour pressure	
Density	: app. 2,9 m a : ca. 1,07 g/cm3
Water solubility	: The solvent is partially water soluble but the product forms two
	layers.
Partition coefficient:	: no data available
n-octanol/water	: not determined
Solubility in other solvents Viscosity, dynamic Viscosity, kinematic	: not determined
Viscosity, kinematic	: not determined
Relative vapour density	: not determined
Corrosive in contact with	: not determined
metals	
Evaporation rate	: not determined
9.2 Other information	
Further information	: Remarks: No information available.
SECTION 10: Stability and react	tivity
10.1 Reactivity	-
	n under conditions of normal use.
10.2 Chemical stability	
No decomposition if stored a	nd applied as directed
10.3 Possibility of hazardous re	
Hazardous reactions	: No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks.
10.5 Incompatible materials	
Materials to avoid	: Oxidizing agents
	8/13

according to Regulation (EC) No. 1907/2006

AZ nLOF® 2070 Photoresist



Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS Print Date 13.08.2015

	Strong acids Bases
Hazardous decomposition	products
Hazardous decomposition products	: No decomposition if stored and applied as directed.
TION 11: Toxicological info	ormation
Information on toxicologic	al effects
Product	
Acute oral toxicity	: Acute Toxicity Estimate (ATE): 44.924 mg/kg, Calculation method
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitisation	: no data available
Further information	: no data available
Components:	
1,3-Benzenedimethanol, 2- Acute oral toxicity	 hydroxy-5-(1,1,3,3-tetramethylbutyl)-: LD50: app. 500 mg/kg, rat(female), 96/54/EC - B1 tris - OECD 423, GLP: yes
2-methoxypropyl acetate : Reproductive toxicity	
2-methoxy-1-methylethyl a	cetate : : LD50: > 8.532 mg/kg, rat(female)
Acute oral toxicity	
Acute oral toxicity Acute inhalation toxicity	: LC50: > 10,8 mg/l, 6 h, rat,

Components:



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS Print Date 13.08.2015

2-methoxy-1-methylethyl ac	etate:
Toxicity to fish	 LC50 (Oryzias latipes (Orange-red killifish)): 100 mg/l Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 373 mg/l Exposure time: 48 h
12.2 Persistence and degradabil	ity
Components:	
2-methoxy-1-methylethyl ac	etate :
Biodegradability	: Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 28 d
12.3 Bioaccumulative potential	
Components:	
2-methoxy-1-methylethyl ac Bioaccumulation	etate : : Remarks: Bioaccumulation is unlikely.
Partition coefficient: n- octanol/water	: log Pow: 1,2
12.4 Mobility in soil	
Components:	
2-methoxy-1-methylethyl ac Distribution among environmental compartments	: Koc: 1,7Remarks: Highly mobile in soils
12.5 Results of PBT and vPvB as	ssessment
Components:	
2-methoxy-1-methylethyl ac Assessment	 the substance does not fulfill the PBT criteria The substance does not fulfill the vPvB criteria
12.6 Other adverse effects	
Product:	
Additional ecological information	: no data available
	10/13





Print Date 13.08.2015

Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS

SECTION 13: Disposal considerations				
13.1 Waste treatment methods				
Product	: Dispose of contents/ container to an approved waste disposal plant.			
Contaminated packaging	: Dispose of as unused product.			
CTION 14: Transport information	tion			
ADR				
UN number	: 1993			
Description of the goods				
	(2-Methoxy-1-methylethyl acetate)			
Class	: 3			
Packing group				
Classification Code	: F1 : 3			
Labels				
Environmentally hazardous	. 110			
ΙΑΤΑ				
UN number	: 1993			
Description of the goods	: Flammable liquid, n.o.s.			
	(2-Methoxy-1-methylethyl acetate)			
Class	: 3			
Packing group	: 111			
Labels	: 3			
Environmentally hazardous	: no			
IMDG				
UN number	: 1993			
Description of the goods	: FLAMMABLE LIQUID, N.O.S.			
	(2-Methoxy-1-methylethyl acetate)			
Class	: 3			
Packing group	: 111			
Labels	: 3			
EmS Number 1	: F-E			
EmS Number 2	: S-E			
Marine pollutant	: no			
RID				
UN number	: 1993			
Description of the goods	: FLAMMABLE LIQUID, N.O.S.			
	(2-Methoxy-1-methylethyl acetate)			

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 R Version 1.1 DE-GHS	evision Date 17.04.	2015	5 Print Date 13.08.2015
Packing group : III Classification Code : F1 Labels : 3 Environmentally hazardous : ne	l		
SECTION 15: Regulatory information			
15.1 Safety, health and environmental in International Chemical Weapons Cor	nvention (CWC)		specific for the substance or mixture Neither banned nor restricted
Schedules of Toxic Chemicals and P	recursors		
REACH - Restrictions on the manufa the market and use of certain danger preparations and articles (Annex XVI	rous substances,	:	108-65-6
Regulation (EC) No 649/2012 of the Parliament and the Council concernin import of dangerous chemicals		:	Neither banned nor restricted
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV)		:	Neither banned nor restricted
Regulation (EC) No 1005/2009 on su deplete the ozone layer	bstances that	:	Neither banned nor restricted
Regulation (EC) No 850/2004 on per pollutants	sistent organic	:	Neither banned nor restricted
(Germany) Re	GK 2 water endange emarks: Data in acco ixtures.		nce with the VwVsS regulation for
15.2 Chamical Safaty Assassment			
15.2 Chemical Safety Assessment A Chemical Safety Assessment is no	ot required for a mixto	ure.	
SECTION 16: Other information			
Full text of H-Statements referred	to under sections 2	2 and	1 3.

according to Regulation (EC) No. 1907/2006



AZ nLOF® 2070 Photoresist

Substance No.: GHSAP0071668 Revision Date 17.04.2015 Version 1.1 DE-GHS Print Date 13.08.2015

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.

Decimal notation: "Thousands" places are identified with a dot (example: 2.000 mg/kg means "two thousand mg/kg"). Decimal places are identified with a comma (example: 1,35 g/cm3) **Further information**

Further information	: Observe national and local legal requirements
---------------------	---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AZ and the AZ logo are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.