according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces

SECTION 1 : Identification of the	e substance/preparation and of the company/undertaking	
1.1. Product identifier		
Product name	: Aluminum Oxide Pieces	
Alternate Trade Name(s)	: EJTALOX401A2	
Generic name	: Aluminium Oxide	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Relevant identified uses	: Physical vapor deposition of thin films	
1.3. Details of the supplier of the safety data sheet		
Manufacturer Kurt J Lesker Company United States 1925 Route 51 Jefferson Hills, PA 15025 Service Number E-Mail Kurt J Lesker Company LTD United Kingdom 15-16 Burgess Road Hastings, East Sussex, TN35 4NR England	: 412-387-9200 : msds@lesker.com	
Customer Service	: +44 (0) 1424 458100	
1.4. Emergency telephone numb	er	
24-Hour Emergency Response provided by 3E Global Incident Response Hotline		
When calling, refer to Kurt J Lesker Company Global Response Access Code: 333594		
North America [USA, Canada, Mexico]: 1-866-519-4752 Mainland China: (+86) 4001 2001 74 Europe: {int'l call prefix}-1-760-476-3961 Asia Pacific: {int'l call prefix}-1-760-476-3960 Middle East & Africa: {int'l call prefix}-1-760-476-3959		
SECTION 2: Hazards identification	on	
2.1. Classification of the substance or mixture		
Classification according to Directive 67/548/EEC		
Classification according to Regulation (EC) No 1272/2008 [CLP]		
Health	: This substance or mixture is not hazardous and is not classified under GHS.	
2.2. Label elements		
R&S statement(s)	: This material is not classified as hazardous according to Directive	

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces 67/548/EEC. 2.3. Other hazards Immediate concerns : This product is not hazardous under conditions of normal use. **Physical hazards** : This substance is not considered hazardous in the form supplied. **SECTION 3: Composition / information on ingredients** 3.1. Substances **Chemical Name** CAS EINECS No. Wt.% Aluminum Oxide 1344-28-1 215-691-6 0 - 100 3.2. Mixtures Not Applicable **SECTION 4: First aid measures** 4.1. Description of first aid measures : Immediately flush eyes with plenty of water. Get medical attention, if Following eyes irritation persists. Following skin : Wash with soap and water. Get medical attention if irritation develops or persists. Following ingestion : Rinse mouth. Get medical advice/attention. Low ingestion hazard in normal use. **Following inhalation** : No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop. 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention and special treatment needed **SECTION 5: Fire fighting measures** 5.1. Extinguishing media : Use alcohol foam, carbon dioxide, or water spray when fighting fires Extinguishing media involving this material. 5.2. Special hazards arising from the substance or mixture **Explosion hazards** : Dusts at sufficient concentrations can form explosive mixtures with air. 5.3. Advice for firefighters Fire fighting procedures : As in any fire, wear self-contained breathing apparatus pressuredemand, (MSHA/NIOSH approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency proceduresGeneral procedures: Isolate hazard area. Keep unnecessary and unprotected personnel

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces

	from entering. Eliminate all ignition sources if safe to do so. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Avoid breathing (dust, vapor, mist, gas). Practice good chemical hygiene during and after use. Avoid release to the environment.	
6.2. Environmental precautions	i de la companya de l	
6.3. Methods and material for c	ontainment and cleaning up	
Small spill	: Clean up spills immediately, observing precautions in Protective Equipment section.	
Large spill	: Collect spilled material in appropriate container. Spill may be reportable . Consult section 15 for Reportable Quantities.	
6.4. Reference to other section	5	
SECTION 7: Handling and store	ige	
7.1. Precautions for safe handling		
General procedures	To avoid risks to human health and the environment, comply with the instructions for use.	
Handling	: Keep away from heat and flame. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Do not breath (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.	
Storage	: Keep container closed when not in use. Store in a cool dry place.	
7.2. Conditions for safe storage, including any incompatibilities		
7.3. Specific end use(s)		
SECTION 8: Exposure controls / personal protection		
8.1. Control parameters		
8.2. Exposure controls		
Engineering controls	 Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. 	
Eye/face protection	: Wear safety glasses.	

Skin protection : Wear protective gloves.

Respiratory protection : Not normally needed. If ventilation is inadequate and this material is handled at elevated temperatures or dusts/fumes/mists are generated a NIOSH/MSHA approved air purifying respirator with a manufacturers approved cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces

:

: Practice good chemical hygiene during and after use.

Work hygienic practices Additional information

Component	Location, Type	Value (mg/m3)
Aluminum oxide	ACGIH TWA (Total)	10
	ACGIH TWA (Respirable)	5
	ACGIH TLV-TWA (Respirable)	1
	NIOSH REL TWA (Total)	10
	NIOSH REL TWA(Respirable)	5
	OSHA OEL TWA (Total)	15
	OSHA OEL TWA (Respirable)	5
	Europe TWA (Inhalable)	10
	Europe TWA (Respirable)	5
	Austria, Denmark, Sweden TWA (Inhalable)	5
	Denmark, Sweden TWA (Respirable)	2
	Germany TWA (Inhalable)	4
	Germany TWA (Respirable)	1.5
	Poland TWA (Total)	2.5
	Poland TWA (Respirable)	1.2
	Australia, NZ, Singapore TWA	10
	UK WEL TWA (Inhalable)	10
	UK WEL TWA (Respirable)	4

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces

SECTION 9: Physical and chem	ical properties
9.1. Information on basic physi	ical and chemical properties
Physical state	: Solid
Colour	: White
Odour	: None
Melting temperature	: 2072°C
Boiling temperature	: 2977°C
Flash point	: NA = Not Applicable
Flammable limits	: NA = Not Applicable
Density	: ~ 3.95
Solubility in water	: Insoluble
Auto-ignition temperature	: NA = Not Applicable
Molecular weight	: 101.96
9.2. Other information	
Percent volatile	: NA = Not Applicable
SECTION 10: Stability and read	tivity
10.1. Reactivity	
Stable	: Yes
10.2. Chemical stability	
10.2. Chemical stability 10.3. Possibility of hazardous r	eactions
_	eactions : No
10.3. Possibility of hazardous r	
10.3. Possibility of hazardous r Hazardous decomposition	
10.3. Possibility of hazardous rHazardous decomposition10.4. Conditions to avoid	
 10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials 	: No : Strong acids, Strong bases, Oxidizing materials. products
 10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials Incompatible materials 	: No : Strong acids, Strong bases, Oxidizing materials.
 10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials Incompatible materials 10.6. Hazardous decomposition Hazardous decomposition 	: No : Strong acids, Strong bases, Oxidizing materials. products : Toxic metal fumes
 10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials Incompatible materials 10.6. Hazardous decomposition Hazardous decomposition products 	: No : Strong acids, Strong bases, Oxidizing materials. products : Toxic metal fumes prmation
10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials Incompatible materials 10.6. Hazardous decomposition Hazardous decomposition products	: No : Strong acids, Strong bases, Oxidizing materials. products : Toxic metal fumes prmation
 10.3. Possibility of hazardous r Hazardous decomposition 10.4. Conditions to avoid 10.5. Incompatible materials Incompatible materials 10.6. Hazardous decomposition Hazardous decomposition products 	: No : Strong acids, Strong bases, Oxidizing materials. products : Toxic metal fumes prmation

: Rat

Notes

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces		
Inhalation LC ₅₀	: Not Available	
Mutagenicity	: Not Available	
Reproductive effect	: Not Available	
SECTION 12: Ecological inform	nation	
12.1. Toxicity		
Aquatic toxicity (acute)	: Not Available	
12.2. Persistence and degrada	bility	
Persistence and degradability	· Not Available	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	: Not Available	
12.4. Mobility in soil		
12.5. Results of PBT and vPvB	assessment	
12.6. Other adverse effects		
SECTION 13: Disposal conside	rations	
13.1. Waste treatment method	ls	
Product disposal	: Contact a licensed waste disposal company.	
Disposal method	 Dispose of according to applicable federal, state, provincial, and local regulations. 	
Empty container	: Follow all MSDS/label precautions even after container is emptied because it may retain product residues.	
SECTION 14: Transport inform	lation	
14.1. UN number		
14.2. UN proper shipping name	e	
UN proper shipping name	: Not Regulated	
14.3. Transport hazard class(e	is)	
14.4. Packing group		
14.5. Environmental hazards		
14.6. Special precautions for u	ser	
14.7. Transport in bulk accordi	ing to Annex II of MARPOL73/78 and the IBC Code	
SECTION 15: Regulatory inform	mation	
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture	
General comments	 All components of this product are included in inventory, exempt, or notified: USA TSCA, Philippines PICCS, Korean KECL, European EINECS, Canadian DSL 	
National regulations (Germany	()	
(WGK) classification	: nwg- Not hazardous	

according to Regulation (EC) No. 453/2010

Date Issued : 4/17/2012 SDS No : M-2200-010 Date Revised : 9/18/2012 Revision No : 1

Aluminum Oxide Pieces

15.2. Chemical safety assessment

SECTION 16: Other information		
Approved by	: EHS DEPT	
Prepared by	: E Bolton	
Information contact	: msds@lesker.com	
Revision summary	: This MSDS replaces the 9/18/2012 MSDS.	
Manufacturer disclaimer	: Kurt J. Lesker Company ("KJLC") believes the information contained in this Material Safety Data Sheet is accurate as of the "Date of Last Revision" specified. The information relates only to typical properties of the product. Do not use the information for product performance or specification purposes. The information is for use by technically skilled persons at their own risk. KJLC MAKES NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR THE INFORMATION. The information may not be valid for product use in combination with any other product or material or in any process. KJLC expressly disclaims any liability arising from any use of the product or any reliance on the information. Do not treat the information (a) as assurance that use of the product will not infringe patent or other rights or (b) as a license or grant of patent or other property rights. "KJLC" means KJLC and each of its subsidiaries.	